



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231  
[www.uspto.gov](http://www.uspto.gov)

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/900,673	07/06/2001	Ralf Duckeck	10191/1951	6734

26646 7590 01/02/2003

KENYON & KENYON  
ONE BROADWAY  
NEW YORK, NY 10004

EXAMINER
----------

NGUYEN, HUNG T

ART UNIT	PAPER NUMBER
2632	

DATE MAILED: 01/02/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	Application No. <b>09/900,673</b>	Applicant(s) <b>Ralf Duckeck</b>
	Examiner <b>HUNG NGUYEN</b>	Art Unit <b>2632</b>

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136 (a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1)  Responsive to communication(s) filed on Oct 16, 2002
  - 2a)  This action is FINAL.      2b)  This action is non-final.
  - 3)  Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11; 453 O.G. 213.
- Disposition of Claims**
- 4)  Claim(s) 1 and 14-27 is/are pending in the application.
  - 4a) Of the above, claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
  - 5)  Claim(s) \_\_\_\_\_ is/are allowed.
  - 6)  Claim(s) 1 and 14-27 is/are rejected.
  - 7)  Claim(s) \_\_\_\_\_ is/are objected to.
  - 8)  Claims \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9)  The specification is objected to by the Examiner.
- 10)  The drawing(s) filed on \_\_\_\_\_ is/are a)  accepted or b)  objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11)  The proposed drawing correction filed on \_\_\_\_\_ is: a)  approved b)  disapproved by the Examiner.  
If approved, corrected drawings are required in reply to this Office action.
- 12)  The oath or declaration is objected to by the Examiner.

**Priority under 35 U.S.C. §§ 119 and 120**

- 13)  Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a)  All b)  Some\* c)  None of:
  1.  Certified copies of the priority documents have been received.
  2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3.  Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\*See the attached detailed Office action for a list of the certified copies not received.

- 14)  Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e).  
a)  The translation of the foreign language provisional application has been received.
- 15)  Acknowledgement is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

**Attachment(s)**

- 1)  Notice of References Cited (PTO-892)
- 2)  Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3)  Information Disclosure Statement(s) (PTO-1449) Paper No(s). \_\_\_\_\_
- 4)  Interview Summary (PTO-413) Paper No(s). \_\_\_\_\_
- 5)  Notice of Informal Patent Application (PTO-152)
- 6)  Other: *Sub.spec (10/16/02) has been entered . Dull*

Art Unit: 2632

## DETAILED ACTION

### *Claim Rejections - 35 USC § 102*

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless --

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371© of this title before the invention thereof by the applicant for patent.

2. Claims 1, 14-15, 19-21 , 24 & 26 rejected under 35 U.S.C. 102(e) as being anticipated by Theimer et al. (U.S. 6,240,363).

Regarding claims 1, 21, Theimer discloses a method for determining and outputting travel instructions for a travel route from a starting point (Z1) to a destination (Zn), in particular for vehicle operators using of public transportation / a navigation device (10) [ figs.1,8, col.4, lines 6-27 and abstract ] comprising:

- connecting an arithmetic unit (15) at least temporarily with a central station (12) [ figs.1,8, col.4, lines 6-15 and col.4, line 66 to col.5, line 32 ];
- transmitting (11) the starting point (Z1) and the destination (Zn) to the central station (12) [ figs.1,8, col.4, lines 6-15 and col.4, line 66 to col.5, line 32 ];

Art Unit: 2632

- determining the travel route by the central station (12) [ figs.1,8, col.4, lines 6-15 and col.4, line 66 to col.6, line 24 ];
- determining a sequence of travel instructions by the central station (12) by a computer (14) from the travel route [ figs.1,8, col.4, lines 6-15 and col.4, line 66 to col.6, line 24 ];
- transmitting (11) the sequence of travel instructions is transmitted from the central station (12) to the arithmetic unit (15) [ figs.1,8, col.4, lines 6-15 and col.4, line 66 to col.6, line 24 ];
- storing / memory (16) the sequence of travel instructions in the arithmetic (15) [ figs.1,8, col.4, lines 6-15 and col.4, line 66 to col.5, line 32 ] and
- outputting (18) the travel instructions by the arithmetic (15), one after the other, in accordance with the sequence of travel instructions [ figs.1-2,8, col.4, lines 6-15 and col.4, line 66 to col.6, line 24 ].

Regarding claim 14, Theimer discloses the method for determining and outputting travel instructions for a travel route from a starting point (Z1) to a destination (Z7) further comprising:

- arranging the arithmetic unit (15) in a mobile computing device / cellular phone (19) and linking the arithmetic unit (15) to the central station (12) via a radio connection (11) / a navigation device (10) is a portable device [fig.1, col.4, lines 28-36 and col.5, lines 10-32 ].

Regarding claim 15, Theimer discloses the method for determining and outputting travel instructions for a travel route from a starting point (Z1) to a destination (Z7) further comprising:

Art Unit: 2632

- continuing to store / memory (16) the sequence of the travel instructions in the central station (12) after a first retrieval for a specifiable period of time by a input device (17) [ fig.1, col.3, lines 54-58 and col.5, lines 10-32 ];
- updating the stored sequence of the travel instructions during the specifiable period of time by a user [ col.3, lines 16-32 , col.5, lines 4-9 ].

Regarding claim 19, Theimer discloses the method according to claim 1, further comprising:

- assigning position (20) on the travel route to the travel instructions [ figs.2-8, col.1, lines 3-18 , col.3, lines 54-58 and col.5, lines 33-59 ];
- inputting (17) into the arithmetic unit (15) by a user a fact of reaching a position [ fig.1, col.5, lines 10-59 ];
- outputting (18) the travel instructions as a function of a position that is input (17) [ figs.1-2, col.3, lines 54-58 and col.5, line 10 to col.6, line 24 ].

Regarding claim 20, Theimer discloses the method according to claim 1, further comprising:

- connecting a locator device / G.P.S. (20) to the arithmetic unit (15) [ fig.1, col.5, lines 33-43 ];
- determining a position of the arithmetic unit (15) using the locator device (20);
- outputting (18) a travel instructions from the sequence of the travel instructions **in the form of nodes which represent individual position on a map** as a function of the position of the arithmetic unit [ figs.2-8, col.3, lines 54-58 and col.4, line 66 to col.6, line 24 ].

Art Unit: 2632

Regarding claim 24, Theimer discloses an arithmetic unit (15) for outputting travel instructions for a travel route from a starting point (Z1) to a destination (Zn) [ figs.1-8, col.4, lines 6-15 and col.4, line 66 to col. 5, line 31 ], comprising:

- a connecting arrangement for connecting with a central station (12) and for transmitting the starting point (Z1) and the destination (Zn) to the central station [ figs.1-8, col.4, lines 6-15 and col.4, line 66 to col. 5, line 31 ];
- a memory arrangement (16) for storing a sequence of the travel instructions [ fig.1, col.5, lines 10-31 ];
- an outputting arrangement (18) for outputting the travel instructions [ fig.1, col.5, line 10 to col.6, line 24 ].

Regarding claim 26, Theimer discloses a central station (12) for determining travel instructions for a travel route from a starting point (Z1) to a destination (Zn) [ figs.1-8, col.4, lines 6-15 and col.4, line 66 to col. 5, line 31 ], comprising:

- a connection arrangement for connecting with an arithmetic unit (15) and for receiving the starting point (Z1) to a destination (Zn) [ figs.1-8, col.4, lines 6-15 and col.4, line 66 to col. 5, line 31 ];
- a determination arrangement for determining a travel route and the travel instructions [ figs.1-8, col.4, lines 6-15 and col.4, line 66 to col. 5, line 31 ];

Art Unit: 2632

- a transmission arrangement (11) for transmitting a sequence of the travel instructions from the central station (12) to the arithmetic unit (15) [ figs.1-8, col.4, lines 6-15 and col.4, line 66 to col. 5, line 31 ].

***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 16-18 & 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Theimer (U.S. 6,240,363).

Regarding claim 16, Theimer does not discloses the term retrieving the travel instructions by the arithmetic unit using a public accessible operating device . However, Theimer clearly discloses the method for determining and outputting travel instructions for a travel route from a staring point (Z1) to a destination (Z7) further comprising:

- the arithmetic unit (15) at least temporarily with the central station (12) [ figs.1,8, col.4, lines 6-15 and col.4, line 66 to col.5, line 32 ];

Art Unit: 2632

- transmitting (11) the starting point (Z1) and the destination (Zn) to the central station (12) [ figs.1,8, col.4, lines 6-15 and col.4, line 66 to col.5, line 32 ];
- determining the travel route by the central station (12) [ figs.1,8, col.4, lines 6-15 and col.4, line 66 to col.5, line 32 ];
- determining a sequence of travel instructions by the central station (12) by a computer (14) from the travel route [ figs.1,8, col.4, lines 6-15 and col.4, line 66 to col.5, line 32 ];
- transmitting (11) the sequence of travel instructions is transmitted from the central station (12) to the arithmetic unit (15) [ figs.1,8, col.4, lines 6-15 and col.4, line 66 to col.5, line 32 ];
- **storing / memory (16)** the sequence of travel instructions in the arithmetic (15) for requesting direction information [ figs.1,8, col.4, lines 6-15 and col.4, line 66 to col.5, line 32 ] and
- **outputting / display (18)** the travel instructions by the arithmetic (15), one after the other, in accordance with the sequence of travel instructions / the desired direction information to be reported to the user of the navigation device (10) [ figs.1,8, col.4, lines 6-15 and col.4, line 66 to col.6, line 24 ]. It would have been obvious to one of ordinary skill in the art at the time the invention was made to employ the system of Theimer includes a memory unit to provide any desired travel instructions to the user .

Regarding claims 17-18, theimer fails to disclose the method according to claim 1 further comprising:

- planning the travel route by a fixed second arithmetic unit;

Art Unit: 2632

- retrieving the sequence of the travel instructions by the first arithmetic unit from the central;
- arranging the fixed second arithmetic unit in a personal computer.

Theimer clearly discloses the method for determining and outputting travel instructions for a travel route from a starting point (Z1) to a destination (Z7) further comprising:

- the navigation device (10) comprises arithmetic unit (15) is equipped with a memory (16) for storing the data for a route , an input unit (17) , an output unit (18) interchanges data with the central station (12) [ figs.1,8, col.4, lines 6-15 and col.4, line 66 to col.5, line 32 ];
- determining a sequence of travel instructions by the central station (12) by a computer (14) from the travel route [ figs.1,8, col.4, lines 6-15 and col.4, line 66 to col.5, line 32 ];
- transmitting (11) the sequence of travel instructions is transmitted from the central station (12) to the arithmetic unit (15) [ figs.1,8, col.4, lines 6-15 and col.4, line 66 to col.5, line 32 ];
- **storing / memory (16)** the sequence of travel instructions in the arithmetic (15) for requesting direction information [ figs.1,8, col.4, lines 6-15 and col.4, line 66 to col.5, line 32 ] and
- **outputting / display (18)** the travel instructions by the arithmetic (15), one after the other, in accordance with the sequence of travel instructions / **the desired direction information to be reported to the user of the navigation device (10)** [ figs.1-8, col.4, lines 6-15 and col.4, line 66 to col.6, line 24 ].
- the arithmetic unit (15) in a mobile computing device / cellular phone (19) and linking the arithmetic unit (15) to the central station (12) via a radio connection (11) / **the navigation device (10) is a portable computer device** [fig.1, col.4, lines 28-36 and col.5, lines 10-32 ]. It would

Art Unit: 2632

have been obvious to one of ordinary skill in the art at the time the invention was made to modify the system of Theimer includes a fixed second arithmetic unit is in a personal computer for providing the same function as desired .

Regarding claim 25, Theimer does not specifically mention the arithmetic unit (15) is positioned in a car radio device . However those skilled in the art should recognize that the arithmetic unit (15) must be located in or about in the car radio device so the driver may comfortable access the travel instructions [ fig.1, col.5, lines 10-22 ].

5. Claims 22-23 & 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Theimer (U.S. 6,240,363) in view of Camhi (U.S. 5,825,283).

Regarding claims 22-23 & 27, Theimer fails to disclose the method for determining and outputting travel instructions for a travel route from a staring point (Z1) to a destination (Z7) further comprising :

- connecting the central station via a data network includes the Internet to further service providers and generating the sequence of the travel instructions through access to other service providers ;
- the arithmetic unit is connected to the central station via the Internet.

Art Unit: 2632

Theimer clearly discloses the method for determining and outputting travel instructions for a travel route from a starting point (Z1) to a destination (Z7) further comprising:

- the navigation device (10) comprises the arithmetic unit (15) is equipped with a memory (16) for storing the data for a route , an input unit (17) , an output unit (18) interchanges data with the central station (12) [ figs.1,8, col.4, lines 6-15 and col.4, line 66 to col.5, line 32 ];
- determining a sequence of travel instructions by the central station (12) by a computer (14) from the travel route [ figs.1,8, col.4, lines 6-15 and col.4, line 66 to col.5, line 32 ];
- transmitting (11) the sequence of travel instructions is transmitted from the central station (12) to the arithmetic unit (15) [ figs.1,8, col.4, lines 6-15 and col.4, line 66 to col.5, line 32 ].

The Internet has revolutionized the way people acquire information. Seemingly limitless volumes of data are now instantly available to users from their homes, office and so on. Portable devices of various types includes portable computers, personal data assistants, wireless communication and in vehicle navigation and computer system can or will be used to access the Internet from any location. Furthermore, Camhi teaches a data network includes the Internet is transmitted in the communication means (40) via the communication line (44) at the remote location or locations by a computer link [ fig.3, col.17, line 55 to col.18 , line 10 ]. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have the system of Theimer as taught by Camhi for providing a rapid access to the user is assured any where in the world to receive any desired information.

Art Unit: 2632

### **Response to Arguments**

6. Applicant's arguments filed on Oct.16, 2002 respect to claims 1 & 14-27 have been fully considered but they are not persuasive reasons.

#### **Applicant's Arguments:**

a) The applicant states that the Theimer reference fails to disclose a method for determining and outputting of driving instruction in which a sequence of travel instructions is determined by the central station from the travel route and transmitted to the arithmetic unit .

b) The applicant states that claims 1 & 14-27 is overcome the Theimer reference either alone or in combination with each other .

#### **Response to arguments:**

a) The Theimer reference clearly discloses a method for determining and outputting (18) of driving instruction in which a sequence of travel instructions is determined by the central station (12) from the travel route and transmitted to the arithmetic unit (15) [ figs.1-8, col.4, lines 6-15 and col.4, line 66 to col.6, line 24 ].

Art Unit: 2632

- b) The Theimer / Camhi references can be combined for rejecting to claims 1 & 14-27 .

***Conclusion***

7. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hung T. Nguyen whose telephone number is (703) 308-6796. The examiner can normally be reached on Monday to Friday from 8:00am to 5:30pm.


Art Unit: 2632

If attempts to reach the examiner by telephone are unsuccessful, the examiner's acting supervisor, Daniel Wu, can be reached on (703) 308-6730. The fax phone number for this Group is (703) 872-9314.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 305-4700.

Examiner: Hung T. Nguyen

Date: Dec. 3, 2002

  
DANIEL J. WU  
PRIMARY EXAMINER  
12/24/02